

NORTHROP

7 June 1989

≎ EPA-OTS

000657696\$

90-890000258

Ventura Division

Aircraft Group

Northrop Corporation

1515 Rancho Conejo Boulevard P. O.-Box 2500

bury Park, California 91320-0500 hone: (805) 373-2000

Document Processing Center Office of Toxic Substances TS-790 US Environmental Protection Agency 401 M Street, SW Washington, DC 20460

Attn: CAIR Reporting Office

Dear Sir/Madam:

Enclosed please find the CAIR Form "Comprehensive Assessment Information Rule" (reporting period February 1987 to February 1989) for the Northrop Corporation, Ventura Unit.

If you have any questions or need additional information, please contact our office.

Sincerely,

Judi Millet

Sr. Industrial Hygienist Safety and Environmental Administration

Org. 4500/V11, Ext. 3561

cc: T. Mc Cabe

L. Hay

J. Luca

Enclosure

JM/jb



Form Approved OMB No. 2010-0019 Approval Expires 12-31-8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Comprehensive Assessment Information Rule REPORTING FORM

When completed, send this form to:

Document Processing Center Office of Toxic Substances, TS-790 U.S. Environmental Protection Agency 401 M Street, SW Washington, DC 20460 Attention: CAIR Reporting Office For Agency Use Only:

Date of Receipt: ____

Document

Control Number: _

Docket Number: _

EPA Form 7710-52

CAIR REPORTING FORM CHECKLIST

THIS CHECKLIST IS NOT REQUIRED TO BE SUBMITTED, IT IS FOR RESPONDENT'S INTERNAL USE ONLY

This form is intended to gather information on a specific listed substance that is manufactured, imported, or processed at one facility. Respondents must answer only those sections or specific questions required in the CAIR rule.

Respondents may use the same form each time they must report. The original copy of the form received by respondents should be kept on file and used to make copies of the questions required to be answered. These copies may then be circulated to those employees who will complete the form. Respondents must submit only one copy of each question rather than compiling parts of each question from various employees and submitting them together as one question.

Respondents need only supply information on the form that is "known to or reasonably ascertainable by" the respondent. Refer to the glossary for this definition. All reports with incomplete responses will be assessed as invalid and a Notice of Noncompliance Error Letter and a copy of the question will be sent to you for completion.

Before completing any portion of this form, please read the instruction booklet. The booklet contains general instructions on how to comply with the rule, supplemental instructions and sample answers for many questions, and a glossary containing definitions of key terms. Refer to the glossary whenever an unknown term appears to examine the definition provided.

If you cannot determine your reporting obligations, you should call the TSCA Assistance Office, U.S. EPA, at (202) 554-1404. To obtain additional forms, write to the TSCA Assistance Office (TS-779), ATTN: CAIR Form Request, Office of Toxic Substances, Environmental Protection Agency, Room E-543, 401 M St., SW, Washington, DC 20460, or call at (202) 554-1404.

BEFORE RETURNING YOUR COMPLETED CAIR FORM PLEASE CHECK THE POLLOVING:

1.	Have you completed and included Section 1 for each form you are submitting?
2.	Have you submitted a standard chemical name and Chemical Abstract Service Registry Number for each chemical you are reporting on?
3.	Does your submitted form include the original certification signatures as required for questions 1.06, 1.07, and 1.08?

4.	Have you submitted a completed separate form for each substance you are required to report on?
5.	Have you submitted a completed separate form for each site at which you manufacture, import, or process a listed substance?
6.	For each listed substance you must report on, have you reported on all activities you engage in at each site using the listed substance on the same reporting form?
7.	If you are claiming information as Confidential Business Information (CBI), have you completed the CBI substantiation form in Appendix II of the form for each category containing CBI? Failure to submit a completed CBI substantiation form with a reporting form containing CBI will result in the waiver of your claim of confidentiality.
8.	For each question that you are required to answer, have you responded by either providing the data, stating not applicable ("N/A"), or, if the question permits, stating unknown ("UK")?
<u> </u>	Have you right justified your responses to questions asked that require respondents to give a numeric response in a series of boxes (e.g., the answer "372" is entered as [0][0][3][7][2])?
10.	Have your responses been given in alpha, numeric or alpha-numeric form such as 3 million or 3,000,000? Responses must not be given in scientific notation such as 3×10^6 .
11.	If you needed additional space to report the required data, have you checked the continuation sheet box at the bottom of each page that requires additional space; attached additional copies of the specific questions of this form that contain additional information; and listed the attachments in Appendix I of the reporting form?

		SECTION 1 GENERAL MANUFACTURER, IMPORTER, AND PROCESSOR INFORMATION
PART	A	GENERAL REPORTING INFORMATION
1.01	Th	is Comprehensive Assessment Information Rule (CAIR) Reporting Form has been
<u>CBI</u>	co	mpleted in response to the <u>Federal Register Notice of $[1]2$ $[2]2$ $[8]8$ year</u>
[_]	a.	If a Chemical Abstracts Service Number (CAS No.) is provided in the Federal
		<u>Register</u> , list the CAS No
	ъ.	If a chemical substance CAS No. is not provided in the <u>Federal Register</u> , list either (i) the chemical name, (ii) the mixture name, or (iii) the trade name of the chemical substance as provided in the <u>Federal Register</u> .
		(i) Chemical name as listed in the rule
		(ii) Name of mixture as listed in the rule
		(iii) Trade name as listed in the rule
	c.	If a chemical category is provided in the <u>Federal Register</u> , report the name of the category as listed in the rule, the chemical substance CAS No. you are reporting on which falls under the listed category, and the chemical name of the substance you are reporting on which falls under the listed category.
		Name of category as listed in the rule
		CAS No. of chemical substance
		Name of chemical substance
1.02	Id	entify your reporting status under CAIR by circling the appropriate response(s).
CBI	Ma	nufacturer 1
[_]	Im	porter 2
	Pr	ocessor
	X/	P manufacturer reporting for customer who is a processor
	X/	P processor reporting for customer who is a processor
[_]	Mar	k (X) this box if you attach a continuation sheet.

1.03	Does the substance you are reporting on have an " x/p " designation associated with it in the above-listed <u>Federal Register</u> Notice?							
CBI	Yes $\{\overline{X}\}$ Go to question 1.	. 04						
	No	. 05						
1.04	a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the Federal Register Notice Circle the appropriate response.							
CBI	Yes SUPPLIED TO US AS PR-1592 AMBER, BLACK PART B	. 1						
`'	No	. 2						
	b. Check the appropriate box below:							
	[_] You have chosen to notify your customers of their reporting obligations							
	Provide the trade name(s)							
	$[\overline{X}]$ You have chosen to report for your customers	_						
	You have submitted the trade name(s) to EPA one day after the effective date of the rule in the Federal Register Notice under which you are reporting.							
1.05 <u>CBI</u>	If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.							
	Trade name PR-1592 AMBER, BLACK PART B							
·	Is the trade name product a mixture? Circle the appropriate response.							
	(Yes)	1						
	No	2						
1.06 CBI	Certification The person who is responsible for the completion of this form must sign the certification statement below:							
(<u></u>)	"I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."							
	JUDITH MILLET SAMERA							
	NAME SIGNATURE DATE/SIGNED	-						
	TITLE (805) 373 _ 3561 TELEPHONE NO.							
 [Mark (X) this box if you attach a continuation sheet.	-						
	continuation sneet.							

. .

1.07 <u>CBI</u> [j	Exemptions From Reporting If you have provided EPA or another Federal agency with the required information on a CAIR Reporting Form for the listed substance within the past 3 years, and this information is current, accurate, and complete for the time period specified in the rule, then sign the certification below. You are required to complete section 1 of this CAIR form and provide any information now required but not previously submitted. Provide a copy of any previous submissions along with your Section 1 submission.						
N / A	"I hereby certify that, to information which I have no to EPA within the past 3 ye period specified in the rul	ot included in ears and is cur	this CAIR Reporting Fo	orm has been submitted			
	NAME		SIGNATURE	DATE SIGNED			
		()	_				
	TITLE	/	TELEPHONE NO.	DATE OF PREVIOUS SUBMISSION			
1.08 <u>CBI</u> [_]	CBI Certification If you certify that the following those confidentiality claim "My company has taken measured and it will continue to take been, reasonably ascertains using legitimate means (other judicial or quasi-judicial information is not publicly would cause substantial harmonics."	statements trums which you had been to protect these measurable by other paper than discoval proceeding) y available els	thfully and accurately ve asserted. the confidentiality eas; the information is ersons (other than govery based on a showing without my company's eachere; and disclosure	of the information, s not, and has not vernment bodies) by g of special need in consent; the			
H / · H							
	NAME		SIGNATURE	DATE SIGNED			
	TITLE	(TELEPHONE NO.				
4							
[_]	Mark (X) this box if you at	tach a continua	tion sheet.				

PART	B CORPORATE DATA
1.09	Facility Identification
CBI	Name $[\underline{N}]\underline{O}]\underline{R}[\underline{T}]\underline{H}[\underline{R}]\underline{O}]\underline{P}]\underline{-}[\underline{C}]\underline{O}]\underline{R}[\underline{P}]\underline{O}[\underline{R}]\underline{A}[\underline{T}]\underline{T}[\underline{O}]\underline{N}]\underline{-}]\underline{-}]\underline{-}]\underline{-}]$
[_]	Address [][5][][][A][N][][H][][][][N][][][][][][][][][][][]
	[N]E]W]B]U]R]Y]_]P]A]R]K]_]=]_]_]_]_]_]_]_]]]]]
	$\{ \overline{\underline{C}} \} \overline{\underline{A}} \} = \{ \overline{\underline{9}} \} \overline{\underline{1}} \} \overline{\underline{3}} \overline{\underline{1}} \} \overline{\underline{9}} \} - \{ \underline{\underline{1}} \} \underline{\underline{1}} \} \underline{\underline{1}} $
	Dun & Bradstreet Number
	EPA ID Number
	Employer ID Number
	Primary Standard Industrial Classification (SIC) Code
	Other SIC Code
	Other SIC Code
1.10	Company Headquarters Identification
CBI	Name $[\underline{N}]\underline{O}]\underline{R}]\underline{T}]\underline{H}]\underline{R}]\underline{O}[\underline{P}]\underline{C}]\underline{O}[\underline{R}]\underline{P};\underline{O}[\underline{R}]\underline{A}]\underline{T}]\underline{T}]\underline{O}[\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{P};\underline{O}[\underline{R}]\underline{A}]\underline{T}]\underline{T}[\underline{O}[\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}]\underline{O}[\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[\underline{O}[\underline{N}]\underline{N}]\underline{C}[N$
[_]	Address $[\overline{1}]\overline{8}]\overline{4}]\overline{0}]$ $[\overline{C}]\overline{E}]\overline{N}]\overline{T}]\overline{U}]\overline{R}]\overline{Y}]$ $[\overline{P}]\overline{A}]\overline{R}]\overline{K}]$ $[\overline{E}]\overline{A}]\overline{S}]\overline{T}]$ $[\overline{D}]$
	(<u>I)O)S)_ANNGELIESS</u>]
	Dun & Bradstreet Number
	Employer ID Number

1.11	Parent Company Identification
(<u></u>]	Name (N)0 R T H R 0 P - C 0 R P 0 R A T T 0 N - - - - -
	[] A [] 10 0 6 7 [2 1 9 9 State
1.12 <u>CBI</u> [_]	Technical Contact Name [J][[][][][][][][][][][][][][][][][][][
1.13	This reporting year is from
	Mark (X) this box if you attach a continuation sheet.

1.14	Facility Acquired If you purchased this facility during the reporting year, provide the following information about the seller:
N / A CBI	Name of Seller [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
11	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_][_]_]_] State
	Employer ID Number
	Date of Sale
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number
1.15	Facility Sold If you sold this facility during the reporting year, provide the following information about the buyer:
N / A	
<u>CBI</u>	Name of Buyer []]]]]]]]]]]]]]]]]]
[_]	Mailing Address []]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_]_]_]_][_]_]_]_]_]_ State
	Employer ID Number
	Date of Purchase
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number
[_]	Mark (X) this box if you attach a continuation sheet.

1.15 CBI	For each classification listed below, state the quantity of the list was manufactured, imported, or processed at your facility during the	ed substance that reporting year.
	Classification	Quantity (kg/yr)
	Hanufactured	••
	Imported	••
	Processed (include quantity repackaged)	1.23
	Of that quantity manufactured or imported, report that quantity:	
	In storage at the beginning of the reporting year	• •
	For on-site use or processing	••
	For direct commercial distribution (including export)	• •
	In storage at the end of the reporting year	• •
	Of that quantity processed, report that quantity:	
	In storage at the beginning of the reporting year	0.068
	Processed as a reactant (chemical producer)	••
	Processed as a formulation component (mixture producer)	••
	Processed as an article component (article producer)	1.23
	Repackaged (including export)	• •
	In storage at the end of the reporting year	0.34

[-]	Mark	(X)	this	box	if	you	attach	а	continuation	sheet.
١		\ /				,		•	Continuation	Succ.

or a chemi	re If the li component of a cal. (If the m component chemi	mixture, province compos	vide the foll sition is var	owing information	ation for eacl	h component
	Component Name		Suppl Nar	ne	Composition (specify	rage % on by Weight precision, 45% ± 0.5%)
TOLV	ENE 2. 4 DIISO		RODUCTS RESE HEMICAL	AKCII AND	8-	9 %
POLY	ETHER POLYOL PO	OLYMER	89		91-	92%
					Total	100%

2.04	State the quantity of the listed substance that your facility man or processed during the 3 corporate fiscal years preceding the redescending order.	ufactured, impor porting year in	ted,
CB1			
(_)	Year ending(11 kits)	$\cdots \begin{bmatrix} \overline{1} \end{bmatrix} \overline{\underline{2}} \begin{bmatrix} \overline{8} \\ \text{Mo.} \end{bmatrix}$	17
	Quantity manufactured		_ kg
	Quantity imported		_ ke
	Quantity processed	0.75	_ kg
	Year ending(1.kit)	\cdots $\left[\frac{T}{2}\right]$ $\left[\frac{8}{8}\right]$	<u> 6</u>
	Quantity manufactured		kg
	Quantity imported		
	Quantity processed	0.068	_ kg
	Year ending(9.kits)	$\cdots \begin{bmatrix} \overline{1} \end{bmatrix} \overline{\underline{2}} \end{bmatrix} \begin{bmatrix} \overline{8} \end{bmatrix}$] <u>5</u>] ear
	Quantity manufactured		_ kg
	Quantity imported		_ kg
	Quantity processed	0.614	_ kg
2.05 CBI	Specify the manner in which you manufactured the listed substance appropriate process types. N / A	. Circle all	
[_]	Continuous process		1
	Semicontinuous process	• • • • • • • • • • • • • • • • • •	2
	Batch process	• • • • • • • • • • • • • • •	3
[_]	Mark (X) this box if you attach a continuation sheet.		

CBI	Specify the manner in which you processed the listed substance. Circle all appropriate process types.						
[_]	Continuous process	•••••	••••				
	Semicontinuous process						
	Batch process		•••••	3			
2.07 CBI	State your facility's n substance. (If you are question.) N / A	name-plate capacity fe a batch manufacture	or manufacturing or r or batch processor	processing the listed r, do not answer this			
[_]	Manufacturing capacity	***************		kg/yr			
	Processing capacity						
2.08	If you intend to increa manufactured, imported,	or processed at any		rent corporate fiscal			
CBI	volume.	ease of decrease bas	•				
<u>CBI</u>		Manufacturing Quantity (kg)	Importing Quantity (kg)	Processing Quantity (kg)			
		Manufacturing		Quantity (kg)			
	volume.	Manufacturing					
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			
	Amount of increase	Manufacturing		Quantity (kg) WILL DECREASE			

2.09	listed substance substance during	argest volume manufacturing or processing proce e, specify the number of days you manufactured g the reporting year. Also specify the average s type was operated. (If only one or two opera	or processed number of h	the listed ours per
<u>CBI</u>			Days/Year	Average Hours/Day
	Process Type #1	(The process type involving the largest quantity of the listed substance.)		
		Manufactured		
		Processed	10	0.5 - 1
	Process Type #2	(The process type involving the 2nd largest quantity of the listed substance.)		
		Manufactured		
		Processed		
	Process Type #3	(The process type involving the 3rd largest quantity of the listed substance.)		
		Manufactured		
	•	Processed	***************************************	* *************************************
2.10 CBI	substance that chemical.	um daily inventory and average monthly inventor was stored on-site during the reporting year in		
	Maximum daily i	nventory	•	kg
	Average monthly	inventory	•	kg
[_]	Mark (X) this b	ox if you attach a continuation sheet.		

]	etc.).	N / A			Source of By
	CAS No.	Chemical Name	Byproduct, Coproduct or Impurity ¹	Concentration (X) (specify ± X precision)	products, Co products, or Impurities
	47.05				
	¹Use the follo	owing codes to designa	te byproduct, copro	oduct, or impurit	y:
	Use the folion B = Byproduct C = Coproduct I = Impurity	t	te byproduct, copro	oduct, or impurit	y:
	B = Byproduct C = Coproduct	t	te byproduct, copro	oduct, or impurit	y:
	B = Byproduct C = Coproduct	t	te byproduct, copro	oduct, or impurit	y:

[_] Mark (X) this box if you attach a continuation sheet.

Product Types Processed On-Site Type of End K 100 % 80 % H "Use the following codes to designate product types: A = Solvent L = Moldable/Castable/Rubber and a B = Synthetic reactant M = Plasticizer C = Catalyst/Initiator/Accelerator/ N = Dye/Pigment/Colorant/Ink and a Sensitizer O = Photographic/Reprographic chem and additives Antioxidant P = Electrodeposition/Plating chem D = Inhibitor/Stabilizer/Scavenger/ Antioxidant P = Electrodeposition/Plating chem D = Analytical reagent P = Chelator/Coagulant/Sequestrant R = Explosive chemicals and additives F = Chelator/Coagulant/Sequestrant R = Explosive chemicals and additives H = Lubricant/Friction modifier/Antiwear T = Pollution control chemicals agent U = Functional fluids and additives J = Flame retardant V = Metal alloy and additives V = Rheological modifier K = Coating/Binder/Addhesive and additives X = Other (specify)		a.	b. % of Quantity Manufactured, Imported, or	<pre>c. % of Quantity Used Captively</pre>	d.
**Juse the following codes to designate product types: A = Solvent		Product Types ¹			Type of End-Users
A = Solvent B = Synthetic reactant C = Catalyst/Initiator/Accelerator/ Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant L = Moldable/Castable/Rubber and a mail a mail and a mail a mail and a mail a m		<u>K</u>	100 %	80 %	Н
A = Solvent B = Synthetic reactant C = Catalyst/Initiator/Accelerator/ Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant L = Moldable/Castable/Rubber and a mail a mail and a mail and a mail and a mail					
A = Solvent B = Synthetic reactant C = Catalyst/Initiator/Accelerator/ Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant L = Moldable/Castable/Rubber and a dimage					
A = Solvent B = Synthetic reactant C = Catalyst/Initiator/Accelerator/ Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant L = Moldable/Castable/Rubber and a mail a mail and a mail a mail and a mail a m					-
C = Catalyst/Initiator/Accelerator/ Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant N = Dye/Pigment/Colorant/Ink and a doily and additives P = Chelographic/Reprographic chem and additives P = Electrodeposition/Plating chem and fuel additives F = Chelator/Coagulant/Sequestrant R = Explosive chemicals and additive F = Pollution control chemicals U = Functional fluids and additives V = Metal alloy and additives V = Rheological modifier		A = Solvent	s to designate prod	L = Moldable/Casta	ble/Rubber and additiv
Sensitizer D = Inhibitor/Stabilizer/Scavenger/ Antioxidant E = Analytical reagent G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant O = Photographic/Reprographic chem and additives And additives P = Electrodeposition/Plating chem Q = Fuel and fuel additives P = Explosive chemicals and additive Fragrance/Flavor chemicals U = Functional fluids and additive V = Metal alloy and additives V = Rheological modifier			/Accelerator/		olorant/Ink and additiv
Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant P = Electrodeposition/Plating chem R = Explosive chemicals and additive F = Fragrance/Flavor chemicals F = Pollution control chemicals U = Functional fluids and additive V = Metal alloy and additives V = Rheological modifier		Sensitizer			Reprographic chemical
F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent U = Functional fluids and additives J = Flame retardant R = Explosive chemicals and additive S = Fragrance/Flavor chemicals U = Functional fluids and additive V = Metal alloy and additives V = Rheological modifier			er/scavenger/		ion/Plating chemicals
G = Cleanser/Detergent/Degreaser S = Fragrance/Flavor chemicals H = Lubricant/Friction modifier/Antiwear T = Pollution control chemicals agent U = Functional fluids and additive I = Surfactant/Emulsifier V = Metal alloy and additives J = Flame retardant V = Rheological modifier			/6		
<pre>H = Lubricant/Friction modifier/Antiwear T = Pollution control chemicals agent U = Functional fluids and additive I = Surfactant/Emulsifier V = Metal alloy and additives J = Flame retardant W = Rheological modifier</pre>					
<pre>I = Surfactant/Emulsifier</pre>		H = Lubricant/Friction			
J = Flame retardant W = Rheological modifier		agent T = Surfactant/Emulsif	ier		
<pre>K = Coating/Binder/Adhesive and additives X = Other (specify)</pre>		J = Flame retardant		W = Rheological mo	odifier
² Use the following codes to designate the type of end-users:		² Use the following code	s to designate the	type of end-users:	
I = Industrial					RNMENT
on a commercial		CM = Commercial			

a.		b.	c		d.
	Manu Imp	Quantity ufactured, corted, or		ptively	
Product Ty	pes Pr	ocessed	<u> </u>	Site	Type of End-U
K	10	00 %	80	**	<u>H</u>

					Name of the state
¹ Use the follo	wing codes to des	signate produc	ct types:		
A = Solvent B = Synthetic C = Catalyst/ Sensitize D = Inhibitor Antioxida E = Analytica F = Chelator/ G = Cleanser/ H = Lubricant agent I = Surfactant J = Flame ret	reactant Initiator/Acceler r /Stabilizer/Scave int I reagent /Coagulant/Sequest /Detergent/Degreas //Friction modifie	enger/ crant ser er/Antivear	L = Moldabl M = Plastic N = Dye/Pig D = Photogr and add P = Electro Q = Fuel an R = Explosi S = Fragran T = Polluti U = Functio V = Metal a V = Rheolog	izer ment/Color aphic/Repr itives deposition d fuel add ve chemica ce/Flavor on control nal fluids lloy and a ical modif	ls and additive chemicals chemicals and additives dditives
A = Solvent B = Synthetic C = Catalyst/ Sensitize D = Inhibitor Antioxida E = Analytica F = Chelator/ G = Cleanser/ H = Lubricant agent I = Surfactan J = Flame ret K = Coating/E	reactant Initiator/Acceler r /Stabilizer/Scave int I reagent /Coagulant/Sequest /Detergent/Degreas //Friction modifie	enger/ crant ser er/Antiwear	L = Moldabl M = Plastic N = Dye/Pig D = Photogr and add P = Electro Q = Fuel an R = Explosi S = Fragran T = Polluti U = Functio V = Metal a V = Rheolog K = Other (izer ment/Color aphic/Repr itives deposition d fuel add ve chemica ce/Flavor on control nal fluids lloy and a ical modif specify)	ant/Ink and add ographic chemic tives ls and additive chemicals chemicals and additives dditives
A = Solvent B = Synthetic C = Catalyst/ Sensitize D = Inhibitor Antioxida E = Analytica F = Chelator/ G = Cleanser/ H = Lubricant agent I = Surfactan J = Flame ret K = Coating/E	reactant Initiator/Acceler r /Stabilizer/Scave int I reagent /Coagulant/Sequest /Detergent/Degreas //Friction modifie at/Emulsifier ardant Sinder/Adhesive an	enger/ crant ser er/Antiwear	L = Moldabl M = Plastic N = Dye/Pig D = Photogr and add P = Electro Q = Fuel an R = Explosi S = Fragran T = Polluti U = Functio V = Metal a V = Rheolog K = Other (izer ment/Color aphic/Repr itives deposition d fuel add ve chemica ce/Flavor on control nal fluids lloy and a ical modif specify)	ant/Ink and a ographic chemicals chemicals and additived dditives

a.	b.	c. Average X Composition of	d.
Product Type ¹	Final Product's Physical Form	Listed Substance in Final Product	Type of End-Users
<u>K</u>	F-4	8-9 %	Н
	codes to designate pro		/Bubbar and add
A = Solvent B = Synthetic read	tant	L = Moldable/Castable M = Plasticizer	e/kubber and add
C = Catalyst/Init:		N = Dye/Pigment/Color	ant/Ink and add
Sensitizer		0 = Photographic/Repr	ographic chemic
D = Inhibitor/Stal	oilizer/Scavenger/	and additives	./ml
Antioxidant	gent	P = Electrodeposition Q = Fuel and fuel add	
E = Analytical rea F = Chelator/Coago		R = Explosive chemica	
G = Cleanser/Deter		S = Fragrance/Flavor	
	ction modifier/Antiwear	T = Pollution control	l chemicals
agent		U = Functional fluids	
I = Surfactant/Em		V = Metal alloy and a	
J = Flame retardar		W = Rheological modified	tier
_		es X = Other (specify)	
_	codes to designate the	e final product's physic ystalline solid	cal iorm:
B = Liquid	F3 = Grade		
<pre>C = Aqueous solut:</pre>		her solid	
D = Paste	G = Ge		
E = Slurry F1 = Powder	H = Otl	her (specify)	erannae narouwnaendorudaeus edition
³ Use the following	codes to designate the	e type of end-users:	
<pre>I = Industrial CM = Commercial</pre>	CS = Cor H = Otl	nsumer her (specify) <u>GOVERNM</u>	NT
_			ent

2.15 CBI		le all applicable modes of transportation used to deliver bulk shipments of the ed substance to off-site customers. $_{ m N}$ / $_{ m A}$	
(_)	Truci		1
	Raile	car	2
	Barge	e, Vessel	3
	Pipe:	line	4
	Plane	e	5
	Other	r (specify)	6
2.16 <u>CBI</u>	or p	omer Use Estimate the quantity of the listed substance used by your customers repared by your customers during the reporting year for use under each category nd use listed (i-iv). N / A	
r,	Cate	gory of End Use	
	i.	Industrial Products	
		Chemical or mixture kg/y	'n
		Article kg/y	'n
	ii.	Commercial Products	
		Chemical or mixture kg/y	r
		Article kg/y	r
	iii.	Consumer Products	
		Chemical or mixture kg/y	7 r
		Article kg/y	ï
	iv.	<u>Other</u>	
		Distribution (excluding export) kg/y	r
		Export kg/y	/T
		Quantity of substance consumed as reactant kg/y	/r
		Unknown customer uses	/r
			_
[_]	Mark	(X) this box if you attach a continuation sheet.	

SECTION 3 PROCESSOR RAW MATERIAL IDENTIFICATION

3.01 CBI	Specify the quantity purchased and the average price for each major source of supply listed. Product trace the average price is the market value of the product substance.	les are treated a	e murchaepe
[_]	Source of Supply	Quantity (kg)	Average Price (\$/kg)
	The listed substance was manufactured on-site.		
	The listed substance was transferred from a different company site.		
	The listed substance was purchased directly from a manufacturer or importer.		
	The listed substance was purchased from a distributor or repackager.		
	The listed substance was purchased from a mixture producer.	1.56	\$ 85.58
3.02 CBI [_]	Circle all applicable modes of transportation used to your facility. Truck	•••••••••••••••••••••••••••••••••••••••	(1 2
	Plane Other (specify)	•••••••••••••••	_
	Mark (X) this box if you attach a continuation sheet.	······································	

CBI	. Circle all applicable containers used to transport the listed substantaction.	ice to you
[_]	Bags	_
	Boxes	1
	Free standing tank cylinders	2
	Tank rail cars	3
	Hopper cars	• • • • • • 4 • • •
	Tank trucks	· • • • • • • • • • • • • • • • • • • •
	Hopper trucks	······································
	Drums	7
	Pipeline	
	Other (specify) QUART BOTTLES	9
b .	II the listed substance to annual to	tank rail
	cars, or tank trucks, state the pressure of the tanks.	
	Tank cylinders	_ ••
	Tank cylinders	mmH

			REST COLA VAVITVE	
PART	B RAV MATERIAL IN THE	FORM OF A MIXTURE		
3.04 CBI	AVELAGE DELCENT compo-	ted substance in the f ame of its supplier(s) sition by weight of the cessed during the repo	orm of a mixture, list the or manufacturer(s), an es e listed substance in the string year.	trade name(: timate of the mixture, and
	Trade Name PR-1592 PART B	Supplier or Manufacturer PRODUCTS RESEARCH AND CHEMICAL	Average % Composition by Weight (specify ± % precision) 8 - 9 %	Amount Processed (kg/yr) 20.45
			·	
,				

[_] Mark (X) this box if you attach a continuation sheet.

.05 BI	reporting year in the	the listed substance used as a form of a class I chemical, clan, by weight, of the listed sub	ss II chemical, or polymer, and stance.
		Quantity Used (kg/yr)	<pre>% Composition by Weight of Listed Sub- stance in Raw Material (specify ± % precision</pre>
	Class I chemical		
	Class II chemical		
	Polymer	1.23	8 - 9 %

SECTION 4 PHYSICAL/CHEMICAL PROPERTIES

Gener	al Instructions:			
If you	u are reporting on a mix t are inappropriate to m	ture as defined in the gixtures by stating "NA -	lossary, reply to ques - mixture."	stions in Section
notic	uestions 4.06-4.15, if y e that addresses the inf mile in lieu of answerin	ormation requested, you	may submit a copy or	l, MSDS, or other reasonable
PART	A PHYSICAL/CHEMICAL DAT	A SUMMARY		
4.01 CBI	substance as it is manu- substance in the final	ity for the three major factured, imported, or product form for manufact at the point you begin	processed. Measure the cturing activities, at	e purity of the the time you
[_]	N / A - MIXTURE	Manufacture	Import	Process
	Technical grade #1	% purity	% purity	% purit
	Technical grade #2	% purity	% purity	% purit
	Technical grade #3	% purity	% purity	% purit
	1 Major = Greatest quant	tity of listed substance	manufactured, importe	d or processed.
4.02	an MSDS that you develoned wersion. Indicate whe appropriate response.	ry formulation containin oped and an MSDS develop ther at least one MSDS h	g the listed substance ed by a different sour as been submitted by o	ce, submit your circling the
	Yes			(
	No			• • • • • • • • • • • • • • • • • • • •
	Indicate whether the M	SDS was developed by you	r company or by a diff	ferent source.
	Your company			

 $\{\overline{X}\}$ Mark (X) this box if you attach a continuation sheet.

MATERIAL SAFETY DATA SHEET

SECTION I

PRODUCT NAME:

PR-1592 Amber, Black, Part B

MSDS IDENTIFICATION NO:

MS3972800 02-07-89

DATE OF ISSUE: REPLACES:

None

PREPARED BY:

RW US~

IDESCRIPTION: MANUFACTURER:

EMERGENCY TELEPHONE:

Polyurethane Polymer

Products Research & Chemical Corporation

5430 San Fernando Road, P.O. Box 1800, Glendale, CA 91209 For Emergency Medical Information Call Toll-Free 800-228-5635

For Other Information 818-240-2060

SECTION II -HAZARDOUS INGREDIENTS OSHA ACGIH TLV CHEMICAL NAME COMMON NAME CAS NO % BY WT PEL TWA STEL Polyether polyol polymer with Polyurethane Prepolymer 65636-36-4 100 toluene diisocyanate

*The TLV for TDI (CAS 26471-62-5) is 0.005 ppm; STEL is 0.02 ppm.

SECTION II	I -	PHYSICAL	AND (HEMICAL	CHARACTER	EISTICS

Boiling Paint, °F.: Vapor Pressure, com Hg:

Vapor Density: Solubility in Water:

Not applicable. Not applicable.

Not applicable. Negligible.

Specific Gravity: VOC, g/1 (Mixed):

Evaporation Rate:

1.06

None

Not applicable

MATERIAL SAFETY DATA SHEET: PR-1592 Amber, Black, Part B **HSDS IDENTIFICATION NO:**

MS3972B00

BEST COPY AVAILABLE

Page 2

SECTION IV -PHYSICAL HAZARD INFORMATION

Flash Point:

Not flammable.

Flammable Limits:

Not flammable

Extinguishing Media:

Spec. Fire Fighting Proc:

CO2, Dry chemical, foam, water fog.

Use air supplied respirator. Use water to cool heat exposed containers. High temperatures may cause a pressure buildup in closed containers.

Unusual Fire Hazards: Stability:

Stable.

Incompatibility:

Water, alcohols, strong bases, amines.

NO: Nothing contained in this product is found in the lists below.

Decomposition products:

Oxides of carbon and nitrogen; possible traces of HCN.

Hazardous polymerization: Will not occur.

	SECTION V -	HEALTH HAZARD INFORMATION
EFFECTS OF	OVER-EXPOSURE: Eyes: Skin: Inhalation:	Irritation, watering and possible reversible corneal damage. Local irritation and discoloration. May cause an allergic rash in sensitized individuals. Irritation of the nose, throat, lungs and eyes, with watering eyes, soreness in the throat, and tightness in the chest with possible difficulty in breathing. May produce asthma-like symptoms in sensitized individuals. Individuals suffering from asthma or other chronic respiratory conditions may exhibit a heightened sensitivity to isocyanate and should avoid inhalation exposure.
	Ingestion:	Irritation and possible corrosive action in the mouth, stomach tissue and digestive tract.

SECTION VI -	EMERGENCY FIRST AID PROCEDURES
Eyes: Skin: Inhalation: Ingestion:	Flush with luke warm water for 15 minutes. If symptoms persist, consult physician. Wash with soap and water. If symptoms persist, consult a physician. Remove to fresh air. If symptoms are present, consult a physician. Give milk or water to drink. Consult a physician.

X YES: OSHA X National Toxicology Program X International Agency for Research on Cancer

MATERIAL SAFETY DATA SHEET: PR-1592 Amber, Black, Part B MSDS IDENTIFICATION NO:

MS3972B00

BEST COPY AVAILABLE

Page 3

SECTION VII -SUGGESTED CONTROL PROCEDURES

Ventilation:

General ventilation to maintain vapors below TLV. When using in confined areas, or in other circumstances likely to produce airborne levels of isocyanate in excess of TLV,

use an air-supplied respirator.

Skin Protection: Eve Protection:

Solvent resistant gloves.

Chemical goggles or full-face shield.

SECTION VIII - SPILL OR LEAKAGE PROCEDURES

Release or Spillage:

Cover with absorbant material, add decontamination solution * and allow to react for 10 minutes. Collect in containers, add additional decontamination solution and keep loosely

covered for 48 hours.

Waste Disposal:

Not a hazardous waste according to EPA regulations. Consult State regulations prior to

disposal of spillage.

SECTION IX -SPECIAL PRECAUTIONS

Avoid moisture contamination which will cause CO₂ pressure. Do not reseal containers if moisture contamination is suspected. Avoid ingestion. This product contains a toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR

*Decontamination solution: 5% concentrated ammonia, 2% detergent, 93% water.

The information provided herein is, to the best of the manufacturer's knowledge, current, accurate and complete, based on information reasonably available.

4.03	Submit a copy or reasonable facsimile of any hazard information (other than an MSDS) that is provided to your customers/users regarding the listed substance or any formulation containing the listed substance. Indicate whether this information has been submitted by circling the appropriate response.
	Yes
	No
4.04	For each activity that uses the listed substance, circle all the applicable number(s) corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at the time you import or begin to process the listed substance. Physical states for
CBI	manufacturing, storage, disposal and transport activities are determined using the final state of the product.

		Phy:	sical State		
Activity	Solid	Slurry	Liquid	Liquified Gas	Gas
Manufacture	1	2	3	4	5
Import	1	2	3	4	5
Process	1	2	(3)	4	5
Store	1	2	3	4	5
Dispose	1	2	3	4	5
Transport	1	2	3	4	5

[_]	Mark (X)	this	box if	you attach	а	continuation sheet.	

N		/ .						
1 to <5 microns 5 to <10 microns Powder	•	N / A	Manufacture	Import	Process	Store	Dispose	Transpor
5 to <10 microns	Dust	<1 micron						
Powder <1 micron 1 to <5 microns 5 to <10 micron 1 to <5 microns 5 to <10 microns Aerosol <1 micron 1 to <5 microns		1 to <5 microns						
1 to <5 microns 5 to <10 microns Fiber <1 micron 1 to <5 microns 5 to <10 microns Aerosol <1 micron 1 to <5 microns		5 to <10 microns	WARRIED AND A STATE OF THE STAT					
5 to <10 microns Fiber	Powder	<1 micron		•				
Fiber <1 micron 1 to <5 microns 5 to <10 microns Aerosol <1 micron 1 to <5 microns		1 to <5 microns						
1 to <5 microns 5 to <10 microns Aerosol <1 micron 1 to <5 microns		5 to <10 microns					***************************************	
5 to <10 microns	Fiber	<1 micron						
Aerosol <1 micron		1 to <5 microns	***************************************					
1 to <5 microns		5 to <10 microns						- ,
	Aerosol	<1 micron						
5 to <10 microns		1 to <5 microns						
		5 to <10 microns						

PART	A R	ATE CONSTANTS AND TRANSFORMATION PRODUCTS N / A	
5.01	Ind	icate the rate constants for the following transformation processes.	
	8.	Photolysis:	
		Absorption spectrum coefficient (peak) (1/H cm) at	nm -
		Reaction quantum yield, ø at	_ מת
		Direct photolysis rate constant, k _p , at 1/hr la	ititude
	ъ.	Oxidation constants at 25°C:	
		For ¹ 0 ₂ (singlet oxygen), k _{ox}	1/H h
		For RO ₂ (peroxy radical), k _{ox}	_ 1/M h
	c.	Five-day biochemical oxygen demand, BOD ₅	mg/l
	d.	Biotransformation rate constant:	
		For bacterial transformation in water, k _b	1/hr
		Specify culture	_
	e.	Hydrolysis rate constants:	
		For base-promoted process, k _B	_ 1/H h
		For acid-promoted process, k,	_ 1/H h
		For neutral process, k _N	_ 1/hr
	f.	Chemical reduction rate (specify conditions)	-
	g.	Other (such as spontaneous degradation)	-
			-

FA ^T	· P	ARTITION COEFFICIENTS	N / A					
5.02	۵.	Specify the half-life	of the li	isted sub	stance in the	following	g med	ia.
, 1		Media			Half-life	(specif	y uni	ts)
		Groundwater						
		Atmosphere						
		Surface water						
		Soil						
	b.	Identify the listed s life greater than 24		s known t	ransformation	products	that	have a half-
		CAS No.	1	Name	Half-li (specify			Media
			_				in	

5.03 N/A		ecify the octanol-water			-			
5.04	Spe	ecify the soil-water pa	rtition co	oeffici e n	t, K _d			at 25°0
N/A		il type						
5.05		ecify the organic carbo						at 25°0
N/A	000	ellicient, Roc			_			at 25 (
5.06 N/A	Spe	ecify the Henry's Law C	Constant, l	B	· · · · · · · · · · · · · · · · · · ·			atm-m³/mole
[_]	Mai	rk (X) this box if you	attach a	continuat	ion sheet.			

ioconcentration Factor	Species	Test ¹
-		
Use the following codes to d	designate the type of test:	
F = Flowthrough	•	
S = Static		
• •		

6.04 CBI	For each market listed below, state the the listed substance sold or transfers	ne quantity sold and the red in bulk during the	e total sales value of reporting year.
(_)		Quantity Sold or	Total Sales
	Market	Transferred (kg/yr)	Value (\$/yr)
	Retail sales		
	Distribution Wholesalers		
	Distribution Retailers		
	Intra-company transfer		
	Repackagers		
	Mixture producers		
	Article producers		
	Other chemical manufacturers or processors		
	Exporters		
	Other (specify)		
6.05	Substitutes List all known commerc for the listed substance and state the feasible substitute is one which is e	e cost of each substitu	ute. A commercially
<u>CBI</u>	in your current operation, and which performance in its end uses.	results in a final pro-	duct with comparable
[_]	Substitute		Cost (\$/kg)
	NONE KNOWN		
		•	
(_)	Mark (X) this box if you attach a con	ntinuation sheet.	

SECTION 7 MANUFACTURING AND PROCESSING INFORMATION


General Instructions:

For questions 7.04-7.06, provide a separate response for each process block flow diagram provided in questions 7.01, 7.02, and 7.03. Identify the process type from which the

PART A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION

7.01 In accordance with the instructions, provide a process block flow diagram showing to major (greatest volume) process type involving the listed substance.

[] Process type FIN TIP ELECTRICAL ENCAPSULATION



^[] Mark (X) this box if you attach a continuation sheet.

[_] P:	rocess type	A MIXING 2 PART SYSTEM B ENCAPSULATION (APPLICATION)
		B ENCAPSULATION (APPLICATION)
		B ENCAPSULATION (APPLICATION)
		C AIR CURE
	•	
	·	

TOT COPY AVAILABLE

7.04 CBI	process block	flow diagram(s).	ypes for each unit open If a process block flow this question and comp	w diagram is prov plete it separate	vided for more
	Process type .		FIN TIP ELECTRICAL EN	CAPSULATION	
***************************************	Unit Operation ID Number	Typical Equipment Type	Operating Temperature Range (°C)	Operating Pressure Range (mm Hg)	Vessel Compositio
	NONE USE)			
					
				*	
				<u> </u>	
				W	

Pescribe each process block question and	process stream identified in you flow diagram is provided for mos complete it separately for each p	ur process block flow di re than one process type process type.	lagram(s). If
Process type	FIN TIP ELEC	TRICAL ENCAPSULATION	
Process Stream ID Code	Process Stream Description	Physical State	Stream Flov (kg/yr
A	MIXING OF SYSTEM	OL	UNKNOWN
В	APPLICATION/ENCAPSULATION	OL	UNKNOWN
С	AIR CURE	SO	UNKNOWN
		•	
GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge of AL = Aqueous (OL = Organic (liquid	and pressure) e and pressure)	
rk (X) this b	pox if you attach a continuation	sheet.	
rk ((X) this t	(X) this box if you attach a continuation	(X) this box if you attach a continuation sheet.

7.06	If a proces this questi	e each process stream idens block flow diagram is pron and complete it separat	ovided for mo ely for each	re than one proce process type. ()	ess type, photocopy					
CBI	instruction	s for further explanation	and an exampl	e.)						
[_]	Process type FIN TIP ELECTRICAL ENCAPSULATION									
	8.	b .	c.	d.	е.					
	Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)					
	A	TDI	8 - 9	· · · · · · · · · · · · · · · · · · ·						
		POLYETHER POLYOL POLYMER	91 - 92							
	В	TDI	0 0							
	<u>D</u>		8 - 9							
		POLYETHER POLYOL POLYMER	91 - 92							
	С	TDI	8 - 9							
		POLYETHER POLYOL POLYMER								
			72 72							
7.06	continued b	elow			·					
<u> </u>	Mark (X) th	nis box if you attach a con	ntinuation she	et.						

7.06 (continued)	N/A
------------------	-----

1 For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column b. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Components of Additive Package	Concentrations (% or ppm)
	Components of Additive Package

- A = Analytical result
- E = Engineering judgement/calculation

³Use the following codes to designate how the concentration was measured:

- V = Volume
- W = Weight

[_]	Mark (X)	this b	oox if	you attach a	continuation sheet	•

SECTION 8 RESIDUAL TREATMENT GENERATION, CHARACTERIZATION, TRANSPORTATION, AND HANAGEMENT

General Instructions:

For questions 8.04-8.06, provide a separate response for each residual treatment block flow diagram provided in question 8.01, 8.02 or 8.03. Identify the process type from which the information is extracted.

For questions 8.05-8.33, the Stream Identification Codes are those process streams listed in either the Section 7 or Section 8 block flow diagrams which contain residuals for each applicable waste management method.

For questions 8.07-8.33, if residuals are combined before they are handled, list those Stream Identification Codes on the same line.

Questions 8.09-8.33 refer to the waste management activities involving the residuals identified in either the Section 7 or Section 8 block flow diagrams. Not all Stream Identification Codes used in the sample answers (e.g., for the incinerator questions) have corresponding process streams identified in the block flow diagram(s). These Stream Identification codes are for illustrative purposes only.

For questions 8.11-8.33, if you have provided the information requested on one of the EPA Office of Solid Waste surveys listed below within the three years prior to your reporting year, you may submit a copy or reasonable facsimile in lieu of answering those questions which the survey addresses. The applicable surveys are: (1) Hazardous Waste Treatment, Storage, Disposal, and Recycling Survey; (2) Hazardous Waste Generator Survey; or (3) Subtitle D Industrial Facility Mail Survey.

1	- 1	Mark	(X)	this	box	if	vou	attach	а	continuation	sheet
1		UGIK	(4)	CHIS	DOV		,	a ctacm	•		

BEST COPY AVAILABLE

)1	In accordance with the	instructions, provid	le a residual treatment block flow di	agr
<u>:</u>	which describes the tr	eatment process used	le a residual treatment block flow di for residuals identified in question	17.
]]	Process type			
	•			

DEST COPY AVAILABLE

8.05 CBI	diagram process	(s). If a r type, photo	residual trea copy this qu	tment block flestion and com	in your residu low diagram is mplete it sepa r explanation	provided for rately for each	more than one ch process
[_]	Process	type	• • •				
	8.	b.	c.	d.	e.	f.	g.
	Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) 4,5,6	Other Expected Compounds	Estimated Concentrations (% or ppm)
		· 					

				*			
 8.05	continu	ed below					

8.05 (continued)

1 Use the following codes to designate the type of hazardous waste:

I = Ignitable

C = Corrosive

R = Reactive

E - EP toxic

T = Toxic

H = Acutely hazardous

²Use the following codes to designate the physical state of the residual:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

SO = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% vater, 10% toluene)

8.05 continued below

[] Mark (X) this box if you attach a continuation sheet.

0	ns.	/ aant	inued)	
ъ.	05	(cont	, Doeun	

8.05

N/A

³For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column d. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number		Components of Additive Package		Concentrations (% or ppm)
1				
2				
2				
3				
				-
,				
4				
5				
⁴ Use the following	ng codes to d	designate how the conce	ntration va	s determined:
A = Analytical : E = Engineering	judgement/ca			
continued below				
Mark (X) this bo	x if you atta	ach a continuation shee	t.	

8.05	(continued)
------	-------------

N/A

⁵Use the following codes to designate how the concentration was measured:

V - Volume

W = Weight

⁶Specify the analytical test methods used and their detection limits in the table below. Assign a code to each test method used and list those codes in column e.

Code	Method	Detection Limit(± ug/l)
1		
2		
3		
4		
5		
6		

a continuation sheet.

_}	Process	type	• • • • • • • • • • • • • • • • • • • •					
	a.	b.	c.	d.	e.		f. Costs for	g.
	Stream ID Code	Vaste Description Code ¹	Management Method Code ²	Residual Quantities (kg/yr)	Managemof Residua On-Site Of	1 (%)	Off-Site Management (per kg)	Changes : Management Methods
					·			<u></u>

	·						-	
								V 104 1
				-				****
	¹ Use the	codes provi	ided in Exhi ided in Exhi	bit 8-1 to d bit 8-2 to d	esignate the esignate the	vaste manage	descriptions	: :

EXHIBIT 8-1. (Refers to question 8.06(b))

WASTE DESCRIPTION CODES

These waste description codes were developed specifically for this survey to supplement the descriptions listed with the RCRA and other waste codes. (These waste description codes are not regulatory definitions.)

WASTE DESCRIPTION CODES FOR HAZARDOUS WASTE DESCRIBED BY A SINGLE RCRA F. K. P. OR U WASTE CODE

A01 Spent solvent (F001-F005, K086)

A02 Other organic liquid (F001-F005, K086) A03 Still bottom (F001-F005, K086)

AQ4: Other organic sludge (F001-F005, KD86)

ADS. Wastewater or aqueous musture

A06 Contaminated soil or cleanup residue

A07. Other F or K waste, exactly as described:

ADS Concentrated off-spec or discarded product

A09 Empty containers

""Exactly as described" means that the waste matches the description of the RCRA waste code

A10 Incinerator ash

Att. Solidified treatment residue

A12 Other treatment residue (specify in

"Fecility Notes")

A13 Other untreated waste (specify in "Facility Notes")

INORGANIC LIQUIDS-Waste that is primarily inorganic and nightly fluid (e.g., aqueous), with low suspended inorganic solids and low organic content

B01 Agueous waste with low solvents

B02 Aqueous waste with low other toxic organics

803 Spent acid with metals

804 Spent acid without metals

B05 Acidic aqueous waste

B06 Caustic solution with metals but no cyanides

807 Caustic solution with metals and cyanides

808 Caustic solution with cyanides but no

809 Spent caustic

B10 Caustic aqueous waste

B11 Aqueous waste with reactive sulfides

B12 Aqueous waste with other reactives (e.g., explosives!

813 Other aqueous waste with high dissolved Shins

B14. Other aqueous waste with low dissolved souds

B15 Scrubber water

B16 Leachate

817 Waste liquid mercury

B18 Other inorganic liquid (specify in "Facility Notes")

INORGANIC SLUDGES-Waste that is primarsty inorganic, with moderate-to-high water content and low organic content; pumpable.

B19 Lime sludge without metals

820 Lime sludge with metals/metal hydroxide SIUCOS

B21 Wastewater treatment studge with toxic organics

822 Other wastewater treatment sludge

823 Untreated plating sludge without cyanides 824 Untreated plating sludge with cyanides

B25 Other sludge with cyanides

826 Sludge with reactive sulfides 827 Sludge with other reactives

828 Degreasing sludge with metal scale or filings

829 Air pollution control device sludge (e.g., fly ash, wet scrubber sludge)

830 Sediment or lagoon dragout contaminated with organics

831 Sediment or lagoon dragout contaminated with inorganics only

Drilling mud **B32**

833 Ashestos sturry or studge

Chloride or other brine sludge 834

835 Other inorganic sludge (specify in 'Facility Notes')

INORGANIC SOLIDS-Waste that is primarily inorganic and solid, with low organic content and low-to-moderate water content; not Dumpable

836 Soil contaminated with organics

Soil contaminated with inorganics only **B37** 838

Ash, stag, or other residue from incineration of wastes

Other "dry" ash, slag, or thermal 830 residue

"Dry" lime or metal hydroxide solids 840 chemically "fixed"

"Dry" time or metal hydroxide solids not fixed"

Metal scale, filings, or scrap

Empty or crushed metal drums or containers

Batteries or battery parts, casings, cores

B45 Spent solid filters or adsorbents

Asbestos solids and debns

847 Metal-cyanide salts/chemicals

848 Reactive cyanide salts/chemicals

849 Reactive sulfide salts/chemicals

850 Other reactive saits/chemicals

Other metal salts/chemicals **B**51

B52 Other waste inorganic chemicals

853 Lab packs of old chemicals only **B54**

Lab packs of debns only **B55** Mixed lab packs

856

Other inorganic solids (specify in 'Facility Notes'')

INORGANIC GASES-Waste that is primarily inorganic with a low organic content and is a gas at atmosphene pressure.

857 Inorganic gases

ORGANIC LIQUIDS-Waste that is primarily organic and is highly fluid, with low inorganic solids content and low-to-moderate water content

858 Concentrated solvent-water solution

B59 Halogenated (e.g., chionnated) solvent

860 Nonhalogenated solvent 861 Halogenated/nonhalogenated solvent mixture

862

Oil-water emulsion or mixture

863 Waste oil

364 Concentrated aqueous solution of other OFGENICS

Concentrated phenolics

B66 Organic paint, ink, lacquer, or varnish

Adhesives or expoxies

Paint thinner or petroleum distillates

Reactive or polymerizable organic liquid

Other organic figure (specify in "Facility

ORGANIC SLUDGES-Waste that is primarily organic, with low-to-moderate inorganic solids

content and water content, pumpable Still bottoms of halogenated (e.g., chlori-

nated) solvents or other organic liquids 372 Still bottoms of nonhalogenated

solvents or other organic liquids

873 Oily sludge

F174 Organic paint or ink sludge

875 Reactive or polymerizable organics 876

Resins, tars, or tarry sludge 877 Biological treatment sludge

878 Sewage or other untreated biological

sludge

Other organic studge (specify in "Facility Notes")

ORGANIC SOLIDS—Waste that is primarily prosnic and solid, with low-to-moderate inorganic content and water content; not pumpable.

880 Halogenated pasticide solid

Nonhalogenated pesticide solid Solid rea ens or polymenzed organics

883 Spent carbon

204 Reactive organic solid 885

Empty fiber or plastic containers

886 Lab packs of old chemicals only

847 Lab packs of debns only

888 Mixed lab packs 880

Other halogenated organic solid Other nonhalogenated organic solid

and is a gas at atmospheric pressure.

ORGANIC GASES....Wage that is primarily organic with low-to-moderate inorganic content

891 Organic gases

EXHIBIT 8-2. (Refers to question 8.06(c))

MANAGEMENT METHODS

M1 =	Discharge to publicly owned	Reco	overy of solvents and liquid organics
	vastevater treatment works		reuse
M2 -	Discharge to surface vater under	1SR	Fractionation
	NPDES		Batch still distillation
M3 -	Discharge to off-site, privately		Solvent extraction
	owned vastewater treatment works		Thin-film evaporation
MA _	Scrubber: a) caustic; b) vater;	400	Filtration
. (14 4	c) other		Phase separation
M2 -	Vent to: a) atmosphere; b) flare;		Dessication
13 -	o) other (specify)		
M4	c) other (specify)Other (specify)	631	Other solvent recovery
no •	other (specify)	Page	overy of metals
TOPAT	THENT AND RECYCLING		
IRBA	INDAL AND ADDICTING	1111	Activated carbon (for metals
7 1		OMB	recovery)
	neration/thermal treatment	ZHK	Electrodialysis (for metals
	Liquid injection	244	recovery)
	Rotary or rocking kiln	3MR	Electrolytic metal recovery
31	Rotary kiln with a liquid injection	4MR	Ion exchange (for metals recovery)
	unit	5MR	Reverse osmosis (for metals
	Two stage		recovery)
51	Fixed hearth	6MR	Solvent extraction (for metals
6 I	Multiple hearth		recovery)
	Fluidized bed	7MR	Ultrafiltration (for metals
81	Infrared		recovery)
91	Fume/vapor	8MR	Other metals recovery
101	Pyrolytic destructor		
111		Vas	tevater Treatment
	treatment		er each vastevater treatment type
			listed below (1VT - 66VT) specify
Reuse	e as fuel		a) tank; or b) surface impoundment
	Cement kiln		(i.e., 63VTa)
	Aggregate kiln		(1.6., 05-14)
305	Asphalt kiln	£	alization
	Other kiln	•	
	Blast furnace	141	Equalization
			. 9 4 4 4 . 4 9 .
	Sulfur recovery furnace		nide oxidation
7RF	,		Alkaline chlorination
	furnace		Ozone
	Coke oven		Electrochemical
	Other industrial furnace	5VT	Other cyanide oxidation
	Industrial boiler		
11RF	Utility boiler	Gene	eral oxidation (including
12RF	Process heater		infection)
13RF	Other reuse as fuel unit	6VT	Chlorination
		7VT	Ozonation.
Puel	Blending	SVT	UV radiation
1FB	Fuel blending	9VT	
		/	other general oxidation
Soli	dification	Chai	mical precipitation1
15	Cement or cement/silicate processes		T Lime
25	Pozzolanic processes		
25 35	Asphaltic processes		T Sodium hydroxide
	Asphaltic processes		T Soda ash
45	Thermoplastic techniques		T Sulfide
55	Organic polymer techniques	144	T Other chemical precipitation
6S	Jacketing (macro-encapsulation)		
75	Other solidification		omium reduction
		15V	T Sodium bisulfite
		16V	T Sulfur dioxide

EXHIBIT 8-2. (continued)

MANAGEMENT METHODS

17VT Ferrous sulfate 18VT Other chromium reduction

Complexed metals treatment (other than chemical precipitation by pH adjustment) 19VT Complexed metals treatmen;

Emulsion breaking 20VT Thermal 21VT Chemical 22VT Other emulsion breaking

Adsorption
23VT Carbon adsorption
24VT Ion exchange
25VT Resin adsorption
26VT Other adsorption

Stripping 27VT Air stripping 28VT Steam stripping 29VT Other stripping

Evaporation
30VT Thermal
31VT Solar
32VT Vapor recompression
33VT Other evaporation

Filtration
34VT Diatomaceous earth
35VT Sand
36VT Multimedia
37VT Other filtration

Sludge dewatering
38VT Gravity thickening
39VT Vacuum filtration
40VT Pressure filtration (belt, plate and frame, or leaf)
41VT Centrifuge
42VT Other sludge dewatering

Air flotation
43VT Dissolved air flotation
44VT Partial aeration
45VT Air dispersion
46VT Other air flotation

0il skimming 47WT Gravity separation 48VT Coalescing plate separation 49VT Other oil skimming

Other liquid phase separation 50VT Decanting 51VT Other liquid phase separation

Biological treatment
52VT Activated sludge
53VT Fixed film-trickling filter
54VT Fixed film-rotating contactor
55VT Lagoon or basin, aerated
56VT Lagoon, facultative
57VT Anaerobic
58VT Other biological treatment

Other vastewater treatment
59VT Vet air oxidation
60VT Neutralization
61VT Nitrification
62VT Denitrification
63VT Flocculation and/or coagulation
64VT Settling (clarification)
65VT Reverse osmosis
66VT Other wastewater treatment

OTHER VASTE TREATMENT

1TR Other treatment 2TR Other recovery for reuse

ACCUMULATION

1A Containers 2A Tanks

STORAGE

1ST Container (i.e., barrel, drum)
2ST Tank
3ST Waste pile
4ST Surface impoundment
5ST Other storage

DISPOSAL

1D Landfill

2D Land treatment

3D Surface impoundment (to be closed as a landfill)

4D Underground injection well

Chemical precipitation is a treatment operation whereby the pH of a waste is adjusted to the range necessary for removal (precipitation) of contaminants. However, if the pH is adjusted solely to achieve a neutral pH, THE OPERATION SHOULD BE CONSIDERED NEUTRALIZATION (60VT).

[_]		Ch	ustion amber ture (°C)	Temp	stion of perature pnitor	In Cor	ence Time mbustion (seconds)
	Incinerator	Primary	Secondary	Primary	Secondary	Primary	Secondary
	1						
	2		-				
	3		*				
	Indicate by circ	e if Office ling the app	of Solid Wast propriate resp	e survey ha	as been s ubmit	ted in lieu	of response
	Yes					• • • • • • • • • • • •	1
	No						2
						_	
CBI	treatment blo	CK 110W dlag				Type	
	Incinerator	. ,	Air Po Contro	ollution l Device			ns Data lable
		, , ,	Air Po Contro	ollution l Device			
	Incinerator	, 	Air Po Contro	ollution l Device			
	Incinerator 1	,	Air Po	ollution l Device			
	Incinerator 1 2 3 Indicat	e if Office	<u>Contro</u>	te survey h	as been submit	Avai	lable
	Incinerator 1 2 3 Indicat by circ	e if Office ling the ap	of Solid Was	te survey h	as been submit	Avai	of response
	Incinerator 1 2 3 Indicat by circ Yes	e if Office ling the ap	of Solid Was	te survey h		Avai	of response
	Incinerator 1 2 3 Indicat by circ Yes No	e if Office ling the ap	of Solid Was	te survey h		Avai	of response

PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

9.01	Mark (X) the appropriate column to indicate whether your company maintains records on
	the following data elements for hourly and salaried workers. Specify for each data
	element the year in which you began maintaining records and the number of years the
CBI	records for that data element are maintained. (Refer to the instructions for further
-	explanation and an example.)
[_]	

Data Element	Hourly Workers	Salaried Workers	Data Collection Began	Years Records Are Maintained
Date of hire	X	X	1942	indefinately
Age at hire	X	X		
Work history of individual before employment at your facility	X	X		
Sex	X	X		
Race	X	X		
Job titles	<u> </u>	X		
Start date for each job title	_X	X		
End date for each job title	X	_X		
Work area industrial hygiene monitoring data	X	_X	1979	
Personal employee monitoring data	_X	X	1979	
Employee medical history	_X	X	1965	
Employee smoking history	_X	X	1965	
Accident history	X	X	196°	
Retirement date	_X	X	1942	
Termination date	<u> X</u>	X	1942	
Vital status of retirees	-			
Cause of death data				

et.																																																																																																																	
-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

_]	a .	b.	c.	d.	e.
			Yearly	Total	Total
	Activity	Process Category	Quantity (kg)	Vorkers	Vorker-Hou
	Manufacture of the listed substance	Enclosed			
		Controlled Release			
		0pen			
	On-site use as reactant	Enclosed			
	reactant	Controlled Release			
		0pen			
	On-site use as	Enclosed			
	nonreactant	Controlled Release	***************************************		
		0pen			
	On-site preparation	Enclosed			
	of products	Controlled Release	1.23	2	20
		0pen			
			·		

listed substance.	
1	
Labor Category	Descriptive Job Title
A	BONDING AND ENCAPSULATION PROCESSOR
В	
c	
D	
E	
F	
G	
Н	
I	
J	

Process type	FIN TIP I	LECTRICAL ENCAPSULATION	
WORK BENCH (WORK AREA 2)	STORAGE CABINET	VENT HOOD (WORK AREA 1)	
MIXING - (WORK A	REA 1)		
APPLICATION (WOR	K AREA 2)		
AIR CURE (WORK A	REA 2)		

9.05	may potentially come additional areas not	work area(s) shown in question 9.04 that encompass workers who in contact with or be exposed to the listed substance. Add any shown in the process block flow diagram in question 7.01 or question and complete it separately for each process type.
<u>CBI</u>		
[]	Process type	FIN TIP ELECTRICAL ENCAPSULATION
	Work Area ID	Description of Work Areas and Worker Activities
	1	RESIN MIXED PART A AND PART B
	2	RESIN APPLIED/AIR CURED
	3	
	4	
	5	
	6 .	
	7	
	8	
	9	
	10	
	•	
	· .	

_1	Process type	e	FIN T	IP ELE	CTRICAL ENCAP	SULATION	
	Work area	• • • • • • • • • • • • • • • • • • • •				1 and 2	
	Labor Category	Number of Workers Exposed	Mode of Exposu (e.g., dir skin conta	ect	Physical State of Listed Substance	Average Length of Exposure Per Day	Number (Days per Year Exposed
	1	2	SKIN CONTA	CT	OL	C	10
	1	2	INHALATION	·	OL	С	10
							-
							-

							-

	**						
	the point b	loving codes to		e physi	cal state of	the listed su	bstance at
	tempe	condensible at rature and pres	ssure)		: Sludge or sl : Aqueous liqu		
	GU = Gas (uncondensible a rature and pres	at ambient	OL =	Organic liqu	id	
	inclu SO = Solid	des fumes, vapo	ors, etc.)	IL =	Immiscible 1 (specify pha 90% water, 1	ses, e.g.,	
	² Use the fol	lowing codes to	o designate ave	erage l	ength of expo	sure per day:	
	B = Greater	tes or less than 15 minute ng 1 hour	es, but not		Greater than exceeding 4 h	ours	
	C = Greater	than one hour, ng 2 hours	, but not		Greater than exceeding 8 h Greater than	ours	not

9.07	Veighted Average (T	gory represented in question 9.06, WA) exposure levels and the 15-min tion and complete it separately for	nute peak exposure levels.
CBI			
(_)	Process type	NOT AVAILABLE	
	Work area		
	Labor Category	8-hour TWA Exposure Level (ppm, mg/m³, other-specify)	15-Minute Peak Exposure Leve (ppm, mg/m³, other-specify)
			

[_]							
	Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples ¹	Analyzed In-House (Y/N)	Number of Years Recor Maintained
	Personal breathing zone						- inclined
	General work area (air)						
	Wipe samples						
	Adhesive patches						
	Blood samples						
	Urine samples						
	Respiratory samples						
	Allergy tests						
	Other (specify)						
	Other (specify)						
	Other (specify)						
	¹ Use the following co A = Plant industrial B = Insurance carrie C = OSHA consultant D = Other (specify)	hygienis		takes the m	nonitoring	samples:	

_1	Sample Type	<u>S</u>	ampling and Analyti	cal Methodolo	g y			
				A COMPANY				
9.10	If you conduct perso specify the following	nal and/or ambient g information for	air monitoring for each equipment type	the listed se used.	ubst a nce,			
CBI	N / A Equipment Type ¹	Detection Limit ²	Manufacturer	Averaging Time (hr)	Model Number			
	¹ Use the following c	odes to designate	personal air monit	oring equipmen	nt types:			
	B = Detector tube C = Charcoal filtra	<pre>A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with pump D = Other (specify)</pre>						
	Use the following o			ring equipmen	t types:			
	<pre>E = Stationary moni F = Stationary moni G = Stationary moni H = Mobile monitori I = Other (specify)</pre>	tors located within tors located at plant of the control of the co	in facility Lant boundary					
	² Use the following of	codes to designate	detection limit un	its:				
	A = ppm B = Fibers/cubic co C = Micrograms/cub:	entimeter (f/cc) ic meter (µ/m³)						
	Mark (X) this box i							

N /	A Test Descr	intion	(ue	Fi ekly, mont	requency thly, yearly	z. etc.
	lest besti	<u> 1911011</u>		ekij, mon	mry, yearr	, есс.
			 -			
			·			
	•					

.12 Describe the engir to the listed subs process type and w BI	neering controls that y stance. Photocopy this work area.	you use to reduce o s question and comp	r eliminate wor lete it separat	rker exposure tely for each
Process type	<u>F</u>	FIN TIP ELECTRICAL	ENCAPSULATION	
Work area			• •	
Engineering Contro	Used (Y/N)	Year Installed	Upgraded (Y/N)	Y e ar Upgraded
Ventilation:				
Local exhaust	<u> </u>	1984	N	
General dilutio	on <u>Y</u>	1984	<u> </u>	
Other (specify)	1			
Vessel emission co	ontrols			
Mechanical loading packaging equipm				
Other (specify)				
• .				

3 A	Describe all equipment or process modifications you have prior to the reporting year that have resulted in a reduthe listed substance. For each equipment or process mod the percentage reduction in exposure that resulted. Pho	ction of worker exposure lification described, stat
	complete it separately for each process type and work ar	ea.
]	Process type	
	Work area	•
	Equipment or Process Modification	Reduction in Worker Exposure Per Year (7

9.14 CBI	Describe the perso in each work area substance. Photocand work area.	nal protective and safety ed in order to reduce or elimin opy this question and comple	quipment that your w hate their exposure ete it separately fo	orkers wear or use to the listed r each process type				
[_]	Process type FIN TIP ELECTRICAL ENCAPSULATION							
		1 AND 2						
		Equipment Types Respirators Safety goggles/glasses Face shields Coveralls	Vear or Use (Y/N) N N N N					
		Bib aprons Chemical-resistant gloves Other (specify)	N Y					
	. ·	SMOCK	<u> </u>					

[[]_] Mark (X) this box if you attach a continuation sheet.

Process typ	e				
Work Area	Respirator Type	Average Usage	Fit Tested (Y/N)	Type of Fit Test	Frequency Fit Test (per year
D = Once a $E = Other$	(specify)	the type			
E = Other	(specify) ollowing codes to designitative	gnate the type	of fit te	st:	
E = Other 2 Use the for QL = Qual:	(specify) ollowing codes to designitative	gnate the type	of fit te	st:	
E = Other 2 Use the for QL = Qual:	(specify) ollowing codes to designitative	gnate the type	of fit te		
E = Other 2 Use the for QL = Quality QT = Quant	(specify) ollowing codes to designitative				

9.19 CBI	Describe all of the work peliminate worker exposure authorized workers, mark a monitoring practices, prov question and complete it s	to the listed sul reas with warning ide worker train	ostance (e.g. g signs, insu ing programs,	<pre>, restrict en re worker det etc.). Phote</pre>	trance only to ection and ocopy this			
[_]	Process type FIN TIP ELECTRICAL ENCAPSULATION							
	Work area			1	AND 2			
	MIXING OF TWO-PART	MATERIAL TAKES	PLACE UNDER V	VENTILATION H	OOD.			
	EMPLOYEE WEARS SMO	CK AND GLOVES, A	ND APPLIES RI	EACTED POLYMEN	R			
	TO AN ≈1" X 2" AR	EA.						
9.20 N/	leaks or spills of the lis A separately for each proces	ted substance. s type and work	Photocopy thi area.	s question an	ean up routine d complete it			
	leaks or spills of the lis A separately for each process Process type	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks	ted substance. s type and work	Photocopy thi	s question an	d complete it			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks Sweeping	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
-	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks Sweeping Vacuuming Water flushing of floors	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis separately for each proces Process type Work area Housekeeping Tasks Sweeping Vacuuming	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks Sweeping Vacuuming Water flushing of floors	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks Sweeping Vacuuming Water flushing of floors	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			
	leaks or spills of the lis A separately for each proces Process type Work area Housekeeping Tasks Sweeping Vacuuming Water flushing of floors	ted substance. s type and work Less Than	Photocopy thi area	s question an	d complete it More Than 4			

BEST COPY AVAILABLE

9.21	Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?					
	Routine exposure					
	Yes 1					
	No :					
	Emergency exposure					
	Yes :					
	No 2					
	If yes, where are copies of the plan maintained?					
	Routine exposure:					
	Emergency exposure:					
9.22	Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.					
	Yes ALL GENERAL PLAN CHEMICALS ADDRESSED 1					
	ALL LEVELS OF MANAGEMENT HAVE COPIES OF CONSTRUCTION THAT					
	If yes, where are copies of the plan maintained? DETAILS PLAN					
	Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.					
	Yes					
	No					
9.23	Who is responsible for monitoring worker safety at your facility? Circle the appropriate response.					
	Plant safety specialist 1					
	Insurance carrier 2					
	OSHA consultant 3					
	Other (specify) 4					
[_]	Mark (X) this box if you attach a continuation sheet.					

SECTION 10 ENVIRONMENTAL RELEASE

General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RO.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

PART A	GENERAL INFORMATION
10.01	Where is your facility located? Circle all appropriate responses.
<u>CBI</u>	
[_]	Industrial area
	Urban area
	Residential area
	Agricultural area
	Rural area
	Adjacent to a park or a recreational area
	Within 1 mile of a navigable waterway
•	Within 1 mile of a school, university, hospital, or nursing home facility
	Within 1 mile of a non-navigable waterway
	Other (specify)
[-]	Mark (X) this box if you attach a continuation sheet.

BEST COPY AVAILABLE

10.02	Specify the exact location of your facility (from central point where process unit is located) in terms of latitude and longitude or Universal Transverse Mercader (UTM) coordinates.								
	Latitude	<u>3</u>	<u>4</u> • <u>12</u>	, 0					
	Longitude	<u>1</u>	18 • 55	• 23					
	UTM coordinates Zone	, Northir	g, Ea	isting					
10.03	If you monitor meteorological conditions in the vicinity of your facility, provide the following information.								
	Average annual precipitation	Average annual precipitation inches/yea							
	Predominant wind direction								
10.04	Indicate the depth to groundwater h	-		meters					
10.05 CBI	For each on-site activity listed, in listed substance to the environment Y, N, and NA.)								
[_]	On-Site Activity	ronmental Relea	ase Land						
	Manufacturing								
	Importing								
	Processing	Y	N	N					
	Otherwise used								
	Product or residual storage	N	N	N					
	Disposal	N	N	N					
	Transport	N	N	N					
<u> </u>	Mark (X) this box if you attach a c	ontinuation sheet.							

for each process stream	hnologies used to minimize release containing the listed substance as l treatment block flow diagram(s). ly for each process type.	identified in your
Process type		
Stream ID Code	Control Technology	Percent Effic
· -		
• .		

rocess type int Source ID Code	Description of Emission Point Source
	Description of Emission Point Source
	Description of Limits ston to the bodies
40	LOCAL EXHAUST FROM HOOD ACTIVITIES
	·
	fark (X) this box if y

production of listed substance)

Mark

8

this

XOQ

Poin Source ID Code	e Stack		Exhaust Temperature (°C)	Emission Exit Velocity (m/sec)	Building Height(m)	Building Vidth(m)	_
40		.229m	_AMBIENT	39.6m ³ /mir	1 <u>5.49m</u>	_109.7m	_
							_
							_
	4		19 48 - 1 749 14 - 14 - 15 - 1				_
					-		_
						494	_
							_
							_
							_
							_
1 Heigh	ht of attache	d or adjacent	building				
_	•	or adjacent					
		codes to des		type:			
	Horizontal			• •			
V = '	Vertical						

10.12	distribution for each Point Source	in particulate form, indicate the particle size ID Code identified in question 10.09. e it separately for each emission point source
CBI	N / A	
[_]	Point source ID code	
	Size Range (microns)	Mass Fraction (% ± % precision)
	< 1	
	≥ 1 to < 10	
	≥ 10 to < 30	
	≥ 30 to < 50	
	≥ 50 to < 100	
	≥ 100 to < 500	
	≥ 5 00	
		Total = 100%

10.13 CBI	Equipment Leaks Complete the following table by providing the number of equipment types listed which are exposed to the listed substance and which are in service according to the specified weight percent of the listed substance passing through the component. Do this for each process type identified in your process block or residual treatment block flow diagram(s). Do not include equipment types that are not exposed to the listed substance. If this is a batch or intermittently operated process, give an overall percentage of time per year that the process type is exposed to the listed substance. Photocopy this question and complete it separately											
	· · · ·	for each process type.										
[_]	Process type						<u>.,</u>					
	Percentage of time per yea type	r that the li	sted sub:	stance is	exposed	to this p	rocess え					
	•	Number	of Compor	nents in	Service b ce in Pro	y Weight	Percent					
	Equipment Type	Less than 5%	5-10%	11. 25%	26-75%	76 009	Greater					
	Pump seals ¹	Chair 5%	2-10%	11-23%	20-13%	70-99%	than 99%					
	Packed											
	Mechanical	4										
	Double mechanical ²											
	Compressor seals ¹											
	Flanges	<u></u>										
	Valves											
	Gas ³											
	Liquid											
	Pressure relief devices (Gas or vapor only)											
	Sample connections											
	Gas											
	Liquid											
	Open-ended lines ⁵ (e.g., purge, vent)											
	Gas											
	Liquid											
	¹ List the number of pump a compressors	nd compressor	seals, r	ather tha	an the nur	mber of p	umps or					
10.13	continued on next page											

10.13	(continued) N/A								
	² If double mechanical seals are operated with the barrier (B) fluid at a pressure greater than the pump stuffing box pressure and/or equipped with a sensor (S) that will detect failure of the seal system, the barrier fluid system, or both, indicat with a "B" and/or an "S", respectively								
	Onditions existing in the valve during normal operation Report all pressure relief devices in service, including those equipped with control devices								
	⁵ Lines closed during normal operations	al operation that wou	ld be used during	maintenance					
10.14 CBI	Pressure Relief Devices was pressure relief devices in devices are contenter "None" under column	dentified in 10.13 to ntrolled. If a press	indicate which pr	essure relief					
1_1	a. Number of Pressure Relief Devices	b. Percent Chemical in Vessel	c. Control Device	d. Estimated Control Efficiency ²					
N / A									
	Refer to the table in que heading entitled "Number Substance" (e.g., <5%, 5-	of Components in Serv	d the percent rangelice by Weight Per	ge given under the cent of Listed					
	² The EPA assigns a control with rupture discs under efficiency of 98 percent conditions	normal operating cond	litions. The EPA a	assigns a control					
[_]	Mark (X) this box if you a	ttach a continuation	sheet.						

	N / A					
1	Process type		• • • • • • • • • • •			
		Leak Detection Concentration (ppm or mg/m³) Measured at Inches			Initiated (days after	
	Equipment Type	from Source	Device'	(per year)	detection)	initiated)
	Pump seals					
	Packed					
	Mechanical					
	Double mechanical					
	Compressor seals					
	Flanges					
	Valves					
	Gas					
	Liquid					
	Pressure relief devices (gas or vapor only)					
	Sample connections					
	Gas					
	Liquid					
	Open-ended lines					
	Gas					
	Liquid					
	¹ Use the following c	odes to designate	detection de	evice:		
		anic vapor analyze	er			

CBI	01 101	20022 (20	atment block		(-,				Operat-	-				
	Vessel Type		Composition of Stored Materials	Throughput (liters per year)		Vessel Filling Duration (min)	Vessel Inner Diameter (m)		Volume	Vessel Emission Controls	Design Flow Rate		Control Efficiency (%)	Basis for Estimate
	-7F													
									·					
						·				. <u> </u>	. 			
									- 					
											-			
					-		2							
			ring codes to	designate w	essel typ	e:			_	codes to shoe, pri	_	te floatu	wg roof seal	s:
			internal flo		_		MS2	: ⇒ Sho	oe-mount	ed seconda	ury			
		- Externa	act internal I floating n	oof			LM1	L = Lic	vom-biurp	d, seconda nted resil	ary Lient fi	lled seal	, primary	
	P H	PressurHorizon	e vessel (in ital	dicate press	ure ratin	g)		-	n-mounte ather sh	d shield ield				
	บั	= Undergr	round				VMI VM2 VMI	e Rin		ited resili d secondar iield		led seal,	primary	
	3 Indi	ate weigh	it percent of	the listed :	substance	. Includ	e the tota	ıl volat	ti le org	anic conte	ent in p	arenthesi:	5	
	⁴ Other	than flo	ating roofs											
	5Gas/	apor flow	rate the em	ission contr	ol device	was desi	gned to ha	andle (s	specify	flow rate	units)			
	⁶ Use	the follow	ring codes to	designate b	asis for	estimate (of control	l effici	iency:					
		Calculation Campling	ns											


10.23 Indicate the date and time when the release occurred and when the release ceased or was stopped. If there were more than six releases, attach a continuation sheet and list all releases.

Release	Date Started	Time (am/pm)	Date Stopped	Time (am/pm)
1	-			
2				
3			-	
4				
5				
6				

10.24 Specify the weather conditions at the time of each release.

Release	Wind Speed (km/hr)	Wind Direction	Humidity (%)	Temperature (°C)	Precipitation (Y/N)
1					
2					
3				•	
4	were the second of the second				
5					
6					

[_] Mark (X) this box if you attach a continuation sheet.



1515 Rancho Conejo Boulevard P.O. Box 2500 Newbury Park, California 91320-0500

JUDI MILLET from:

SAFETY AND ENVIRONMENTAL ADMINISTRATION

ORG. 4500/V11

DOCUMENT PROCESSING CENTER OFFICE to: OF TOXIC SUBSTANCES TS-790

US ENVIRONMENTAL PROTECTION AGENCY

401 M. STREET, SW WASHINGTON, DC 20460

ATTN: CAIR REPORTING OFFICE